```
priority="2"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26" p</pre>
riority="3"/>
     </section>
     <section priority="2">
       <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09" p</pre>
riority="2"/>
       <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16" p</pre>
riority="2"/>
       <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09" p</pre>
riority="2"/>
       <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18" p</pre>
riority="3"/>
     </section>
     <section priority="1">
       <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03" p</pre>
riority="1"/>
       <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14" p</pre>
riority="1"/>
    </section>
    <section priority="2">
       <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28" p</pre>
riority="2"/>
       <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28" p</pre>
riority="2"/>
       <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15" p</pre>
riority="2"/>
       <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00" p</pre>
riority="2"/>
      <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14" p</pre>
riority="2"/>
       <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27" p</pre>
riority="2"/>
    </section>
```

```
<section priority="3">
       <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01" p</pre>
riority="3"/>
     </section>
    <section priority="4">
       <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05" p</pre>
riority="4"/>
       <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28" p</pre>
riority="4"/>
       <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06" p</pre>
riority="4"/>
    </section>
    <section priority="5">
       <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05" p</pre>
riority="5"/>
    </section>
    <section priority="5">
       <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02" p
riority="5"/>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06" p
riority="4"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16" p</pre>
riority="2"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25" p</pre>
riority="4"/>
      <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01" p</pre>
riority="4"/>
      <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21" p</pre>
riority="3"/>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15" p</pre>
riority="4"/>
      <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27"</pre>
```

```
priority="4"/>
      <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15" p</pre>
riority="4"/>
      <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05" p</pre>
riority="4"/>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04" p</pre>
riority="4"/>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04" p</pre>
riority="4"/>
    </section>
  </section>
  <section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER 3"</pre>
 priority="4">
    <section priority="4">
      <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24" p</pre>
riority="4"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21" p</pre>
riority="3"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26" p</pre>
riority="1"/>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02" p</pre>
riority="2"/>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17" p</pre>
riority="2"/>
      <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21" p</pre>
riority="2"/>
      <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02" p</pre>
riority="2"/>
      <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05" p</pre>
riority="2"/>
      <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06" p</pre>
riority="2"/>
      <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27"</pre>
```

```
priority="2"/>
      <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20" p</pre>
riority="2"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26" p
riority="3"/>
      <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25" p</pre>
riority="3"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27" p
riority="4"/>
    </section>
    <section priority="5">
      <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11" p</pre>
riority="5"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27" p
riority="4"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01" p</pre>
riority="3"/>
      <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21" p</pre>
riority="3"/>
     </section>
     <section priority="4">
       <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17" p
riority="4"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17" p</pre>
riority="3"/>
     </section>
```

Pearne & Gordon LLP 526 Superior Ave., East Suite 1200

Cleveland, Ohio 44114-1484

(216) 579-1700

Applicant: Toshíhiko Munetsugu et al.

Serial No.: N/A Filed: Herewith

"DATA PROCESSING METHOD AND STORAGE Title: MEDIUM, AND PROGRAM FOR CAUSING COMPUTER TO EXECUTE THE DATA PROCESSING METHOD"

Docket No.: 32161US1 Sheet 9 of 259

FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

<?xml version="1.0"?>

ELEMENT</th <th>contents</th> <th>(section+)></th> <th>CDATA</th> <th>#REQUIRED</th>	contents	(section+)>	CDATA	#REQUIRED
ATTLIST</td <td>contents</td> <td>contents-id</td> <td>CDATA</td> <td></td>	contents	contents-id	CDATA	
		title	CDATA	#REQUIRED
		runtime	NMTOKEN	#REQUIRED>
ELEMENT</td <td>section</td> <td>(section+ sec</td> <td></td> <td></td>	section	(section+ sec		
ATTLIST</td <td>section</td> <td>section-id</td> <td>CDATA</td> <td>#REQUIRED</td>	section	section-id	CDATA	#REQUIRED
		caption	CDATA	#IMPLIED
		priority	NMTOKEN	#REQUIRED>
ELEMENT</td <td>segment</td> <td>(dominant-da</td> <td>ata*)></td> <td></td>	segment	(dominant-da	ata*)>	
ATTLIST</td <td>segment</td> <td>start</td> <td>CDATA</td> <td>#REQUIRED</td>	segment	start	CDATA	#REQUIRED
	_	end	CDATA	#REQUIRED
		priority	NMTOKEN	#REQUIRED>
ELEMENT</td <td>dominant-da</td> <td>ta EMPTY></td> <td></td> <td></td>	dominant-da	ta EMPTY>		
ATTLIST</td <td>dominant-da</td> <td>ta frame-no</td> <td>NMTOKEN</td> <td>#IMPLIED</td>	dominant-da	ta frame-no	NMTOKEN	#IMPLIED
		start	CDATA	#IMPLIED
		end	CDATA	#IMPLIED
		locator	CDATA	#IMPLIED>
		locator	02/11/1	,,,,,,

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

<?xml version="1.0" encoding="euc-jp"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra m03.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR
NAMENT" runtime="11:42">

<section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1"
priority="5">

<section priority="1">

<segment start="smpte=00:00:00:00" end="smpte=00:00:04:17" p
riority="1">

<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi
f"/>

<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma01.m
p3"/>

<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gi f"/>

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.m</pre>
p3"/>
       </segment>
     </section>
     <section priority="2">
       <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03.m"</pre>
p3"/>
       </segment>
     </section>
     <section priority="3">
       <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.m"</pre>
p3"/>
       </segment>
    </section>
    <section priority="1">
       <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19" p
riority="1">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma05.m"</pre>
p3"/>
       </segment>
    </section>
    <section priority="3">
       <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m</pre>
2/"8q
       <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.m</pre>
p3"/>
```

```
<segment start="smpte=00:00:30:29" end="smpte=00:00:43:11" p</pre>
 riority="3">
          <dominant-data start="smpte=00:00:31:20" end="smtpe=00:00:</pre>
 35:05"/>
        </segment>
     </section>
     <section priority="2">
        <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20" p</pre>
 riority="2">
          <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp08.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m"</pre>
 p3"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09" p</pre>
riority="3">
          <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:</pre>
50:03"/>
       </segment>
     </section>
     <section priority="2">
       <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma09.m</p>
p3"/>
       </segment>
     </section>
     <section priority="4">
       <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14" p
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma10.m</pre>
p3"/>
       </segment>
    </section>
    <section priority="2">
       <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20" p</pre>
riority="2">
         <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:</pre>
19:03"/>
```

```
</segment>
      </section>
      <section priority="3">
        <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26" p
 riority="3">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m</pre>
 p3"/>
        </segment>
     </section>
     <section priority="2">
       <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09" p</pre>
 riority="2">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gi</pre>
f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma12.m
 p3"/>
       </segment>
       <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16" p</pre>
riority="2">
         <dominant-data start="smpte=00:01:52:20" end="smpte=00:01:</pre>
55:10"/>
       </segment>
       <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18" p
riority="3">
         <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:</pre>
38:11"/>
       </segment>
    </section>
    <section priority="1">
      <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03" p</pre>
riority="1">
         <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:</pre>
48:02"/>
      </segment>
      <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14"
```

```
priority="1">
          <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:</pre>
 02:12"/>
        </segment>
     </section>
     <section priority="2">
       <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28" p</pre>
 riority="2">
          <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:</pre>
 10:20"/>
       </segment>
       <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28" p
 riority="2">
         <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:</pre>
 18:03"/>
       </segment>
       <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15" p
 riority="2">
         <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:</pre>
25:02"/>
       </segment>
       <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00" p
         <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:</pre>
38:21"/>
       </segment>
       <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14" p
riority="2">
         <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:</pre>
51:17"/>
       </segment>
       <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27" p
riority="2">
         <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:</pre>
01:07"/>
      </segment>
    </section>
    <section priority="3">
      <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01" p
riority="3">
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.m</pre>
p3"/>
```

```
</segment>
      </section>
      <section priority="4">
        <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05" p
 riority="4">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma15.m</p>
 p3"/>
        </segment>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28" p
 riority="4">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma16.m</p>
 p3"/>
       </segment>
       <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06" p</pre>
 riority="4">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma17.m</pre>
p3"/>
       </segment>
     </section>
     <section priority="5">
       <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05" p
riority="5">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma18.m</pre>
p3"/>
       </segment>
    </section>
    <section priority="5">
       <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02" p
riority="5">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma19.m</p>
p3"/>
      </segment>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06" p</pre>
riority="4">
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp20.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma20.m</p>
 p3"/>
        </segment>
      </section>
      <section priority="2">
        <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16" p</pre>
 riority="2">
          <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:</pre>
 02:20"/>
        </segment>
     </section>
     <section priority="4">
        <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25" p</pre>
 riority="4">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.m</p>
 p3"/>
       </segment>
       <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01" p</pre>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.m
p3"/>
       </segment>
       <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15" p
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m</pre>
p3"/>
      </segment>
      <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27" p</pre>
riority="4">
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15" p
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp26.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp27.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04" p</pre>
riority="4">
         <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:</pre>
20:17"/>
       </segment>
       <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04" p</pre>
riority="4">
         <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:</pre>
30:11"/>
       </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER 3"</pre>
 priority="4">
    <section priority="4">
       <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24" p
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma28.m</pre>
p3"/>
      </segment>
    </section>
    <section priority="3">
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21" p</pre>
riority="3">
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp29.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma29.m"</pre>
 p3"/>
        </segment>
     </section>
     <section priority="2">
        <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26" p</pre>
 riority="1">
          <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:</pre>
 18:23"/>
       </segment>
       <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02" p
riority="2">
          <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:</pre>
43:01"/>
       </segment>
       <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma30.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma31.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02" p</pre>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp33.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.m</pre>
p3"/>
```

```
</segment>
        <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06" p</pre>
 riority="2">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma34.m</pre>
 p3"/>
        </segment>
        <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27" p
 riority="2">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m</pre>
 p3"/>
       </segment>
       <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20" p</pre>
riority="2">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi</pre>
f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m</p>
p3"/>
       </segment>
     </section>
     <section priority="3">
       <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp37.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m</pre>
p3"/>
       </segment>
    </section>
    <section priority="4">
       <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27" p
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp39.gi</p>
f"/>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma39.m</pre>
 p3"/>
        </segment>
     </section>
     <section priority="5">
        <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11" p</pre>
 riority="5">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m</pre>
 p3"/>
        </segment>
     </section>
     <section priority="4">
       <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27" p</pre>
 riority="4">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi</p>
f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m</pre>
p3"/>
       </segment>
     </section>
     <section priority="3">
       <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp42.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma42.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21" p
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp43.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma43.m</pre>
p3"/>
       </segment>
    </section>
    <section priority="4">
       <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp44.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma44.</p>
```

```
mp3"/>
        </segment>
     </section>
     <section priority="3">
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.m</pre>
p3"/>
       </segment>
     </section>
    <section priority="1">
       <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29" pr</pre>
iority="1">
         <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2</pre>
1"/>
       </segment>
    </section>
  </section>
</contents>
```

FIG. 22




FIG. 23




FIG. 24





FIG. 25



25/259

FIG. 26






FIG. 27








FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36






FIG. 37





ONE EXAMPLE OF DTD USED FOR DESCRIBING STRUCTURE DE SCRIPTION DATA

```
<?xml version="1.0"?>
<!ENTITY %
              types "(audio|video|audiovideo)">
<!ENTITY %
             formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg
2-ps|mpeg2-ts|mpeg2-video)">
<!ELEMENT contents
                       (mediaobject+)>
<!ATTLIST
           contents
                       contents-id CDATA
                                               #REQUIRED
                                   CDATA
                       title
                                               #REQUIRED
                       runtime
                                   NMTOKEN
                                               #REQUIRED>
<!ELEMENT mediaobject EMPTY>
<!ATTLIST
           mediaobject id
                                   CDATA
                                               #REQUIRED
                       type
                                               "audiovideo"
                                   %types:
                       format
                                   %formats:
                                               #REQUIRED
                       seq
                                   NMTOKEN
                                               #REQUIRED
                       locator
                                   CDATA
                                               #REQUIRED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO PHYSICAL DE SCRIPTION DATA

ONE EXAMPLE OF DTD USED FOR DESCRIBING CONTEXT DESCRIPTION DATA

<?xml version="1.0"?>

</section>

<section priority="3">

ELEMENT</th <th>contents</th> <th colspan="3">(mediaobject+)></th>	contents	(mediaobject+)>				
ATTLIST</td <td>contents</td> <td>contents-id</td> <td>CDATA</td> <td>#REQUIRED</td>	contents	contents-id	CDATA	#REQUIRED		
		title	CDATA	#REQUIRED		
		runtime	NMTOKEN	#REQUIRED>		
ELEMENT</td <td>mediaobject</td> <td>(section+)></td> <td>•</td> <td></td>	mediaobject	(section+)>	•			
ATTLIST</td <td>mediaobject</td> <td>id</td> <td>CDATA</td> <td>#REQUIRED></td>	mediaobject	id	CDATA	#REQUIRED>		
ELEMENT</td <td>section</td> <td colspan="5">(section+ segment+)></td>	section	(section+ segment+)>				
ATTLIST</td <td>section</td> <td>caption</td> <td>CDATA</td> <td>#IMPLIED</td>	section	caption	CDATA	#IMPLIED		
		priority	NMTOKEN	#REQUIRED>		
< ELEMENT	segment	EMPTY>				
ATTLIST</td <td>segment</td> <td>start</td> <td>CDATA</td> <td>#REQUIRED</td>	segment	start	CDATA	#REQUIRED		
		end	CDATA	#REQUIRED		
		priority	NMTOKEN	#REQUIRED>		

ONE EXAMPLE OF XML DOCUMENT RELATING TO STRUCTURE DESCRIPTION DATA

```
<?xml version="1.0" encoding="euc-ip"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</pre>
m07.dtd">
<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR</pre>
NAMENT
" runtime="11:42">
  <mediaobject id="mobj-01">
    <section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER</pre>
1 " priority="5">
      <section priority="1">
        <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17"</pre>
priority="1"/>
        <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08"
priority="1"/>
      </section>
      <section priority="2">
        <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13"</pre>
priority="2"/>
```

<segment start="smpte=00:00:14:14" end="smpte=00:00:19:19</pre>

```
" priority="3"/>
       </section>
       <section priority="1">
         <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19"</pre>
 priority="1"/>
      </section>
      <section priority="3">
        <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10"
 priority="3"/>
        <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28"
 priority="3"/>
        <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11"
 priority="3"/>
      </section>
      <section priority="2">
        <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20"
priority="2"/>
      </section>
      <section priority="3">
        <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09"</p>
priority="3"/>
      </section>
      <section priority="2">
        <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28"
priority="2"/>
      </section>
      <section priority="4">
        <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14"</pre>
priority="4"/>
      </section>
     <section priority="2">
        <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20"
priority="2"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26"
priority="3"/>
     </section>
     <section priority="2">
       <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09"</pre>
priority="2"/>
       <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16"
priority="2"/>
       <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09"</pre>
priority="2"/>
```

```
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18"
 priority="3"/>
       </section>
       <section priority="1">
         <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03"</pre>
 priority="1"/>
         <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14"
 priority="1"/>
       </section>
      <section priority="2">
         <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28"</pre>
 priority="2"/>
        <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28"
 priority="2"/>
        <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15"
 priority="2"/>
        <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00"</pre>
 priority="2"/>
        <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14"
 priority="2"/>
        <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27"
priority="2"/>
      </section>
      <section priority="3">
        <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01"
priority="3"/>
      </section>
      <section priority="4">
        <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05"
priority="4"/>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28"
priority="4"/>
        <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06"</pre>
priority="4"/>
     </section>
     <section priority="5">
       <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05"
priority="5"/>
     </section>
     <section priority="5">
       <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02"
priority="5"/>
       <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06"
priority="4"/>
     </section>
```

```
<section priority="2">
         <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16"
 priority="2"/>
       </section>
       <section priority="4">
         <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25"
 priority="4"/>
         <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01"
 priority="4"/>
         <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21"</pre>
 priority="3"/>
         <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15"
 priority="4"/>
         <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27"
 priority="4"/>
         <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15"
 priority="4"/>
         <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05"</pre>
 priority="4"/>
         <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04"</pre>
 priority="4"/>
         <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04"</p>
 priority="4"/>
      </section>
    </section>
  </mediaobject>
  <mediaobject id="mobj-02">
    <section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER</pre>
3" priority="4">
      <section priority="4">
        <segment start="smpte=00:00:00:00" end="smpte=00:00:42:24"
 priority="4"/>
      </section>
      <section priority="3">
        <segment start="smpte=00:00:42:25" end="smpte=00:00:57:21"
priority="3"/>
      </section>
      <section priority="2">
        <segment start="smpte=00:00:57:22" end="smpte=00:01:21:26"
priority="1"/>
        <segment start="smpte=00:01:21:27" end="smpte=00:01:28:02"
priority="2"/>
        <segment start="smpte=00:01:28:03" end="smpte=00:01:35:17"</pre>
priority="2"/>
        <segment start="smpte=00:01:35:18" end="smpte=00:01:43:21</pre>
```

```
" priority="2"/>
        <segment start="smpte=00:01:43:22" end="smpte=00:02:00:02"
priority="2"/>
        <segment start="smpte=00:02:00:03" end="smpte=00:02:21:05"</pre>
priority="2"/>
        <segment start="smpte=00:02:21:06" end="smpte=00:02:29:06"</pre>
priority="2"/>
        <segment start="smpte=00:02:29:07" end="smpte=00:02:45:27"
priority="2"/>
        <segment start="smpte=00:02:45:28" end="smpte=00:02:49:20"</pre>
priority="2"/>
      </section>
      <section priority="3">
        <segment start="smpte=00:02:49:21" end="smpte=00:02:58:26"</pre>
priority="3"/>
        <segment start="smpte=00:02:58:27" end="smpte=00:03:02:25"</pre>
priority="3"/>
      </section>
      <section priority="4">
        <segment start="smpte=00:03:02:26" end="smpte=00:03:04:27"</pre>
priority="4"/>
     </section>
     <section priority="5">
        <segment start="smpte=00:03:04:28" end="smpte=00:03:30:11"
priority="5"/>
     </section>
     <section priority="4">
        <segment start="smpte=00:03:30:12" end="smpte=00:03:33:27"</pre>
priority="4"/>
     </section>
     <section priority="3">
        <segment start="smpte=00:03:33:28" end="smpte=00:03:39:01"
priority="3"/>
        <segment start="smpte=00:03:39:02" end="smpte=00:03:54:21"
priority="3"/>
     </section>
     <section priority="4">
       <segment start="smpte=00:03:54:22" end="smpte=00:04:23:17"</pre>
priority="4"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:04:23:18" end="smpte=00:05:10:17"
priority="3"/>
     </section>
     <section priority="1">
```

id="mobj-01"	start="smpte=00:01:00:29"	end="smpte=00:01:14:14"
id="mobj-01"	start="smpte=00:04:20:02"	end="smpte=00:05:02:06"
id="mobj-01"	start="smpte=00:05:04:17"	end="smpte=00:06:41:04"
id="mobj-02"	start="smpte=00:00:00:00"	end="smpte=00:00:42:24"
id="mobj-02"	start="smpte=00:03:02:26"	end="smpte=00:03:33:27"
id="mobj-02"	start="smpte=00:03:54:22"	end="smpte=00:04:23:17"

FIG. 47






FIG. 48



id="mobj-01"
start="smpte=00:01:00:29" end="smpte=00:01:14:14"
start="smpte=00:04:20:02" end="smpte=00:05:02:06"
start="smpte=00:05:04:17" end="smpte=00:06:41:04"
id="mobj-02"
start="smpte=00:00:00:00" end="smpte=00:00:42:24"
start="smpte=00:03:02:26" end="smpte=00:03:33:27"
start="smpte=00:03:54:22" end="smpte=00:04:23:17"

FIG. 50



47/259

FIG. 51





FIG. 52






FIG. 54




FIG. 55




FIG. 56





FIG. 57



ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML

```
<?xml version="1.0"?>
<!ELEMENT contents
                       (section+)>
<!ATTLIST
           contents
                       contents-id
                                   CDATA
                                               #REQUIRED
                       title
                                   CDATA
                                               #REQUIRED
                       runtime
                                   NMTOKEN
                                               #REQUIRED>
<!ELEMENT section
                       (pointofview*, (section+|segment+))>
<!ATTLIST
           section
                       caption
                                   CDATA
                                               #IMPLIED>
<!ELEMENT segment
                       (pointofview*)>
<!ATTLIST
                                   CDATA
           segment
                       start
                                               #REQUIRED
                       end
                                   CDATA
                                               #REQUIRED>
<!ELEMENT pointofview
                       EMPTY>
<!ATTLIST
           pointofview
                       keyword
                                   CDATA
                                               #REQUIRED
                       priority
                                   NMTOKEN
                                              #REQUIRED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-ip"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</pre>
m02.dtd">
<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR</pre>
NAMENT" runtime="11:42">
  <section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1</p>
   <pointofview keyword="SUMO WRESTLER 0" priority="5"/>
   <pointofview keyword="SUMO WRESTLER 1" priority="5"/>
   <section>
     <pointofview keyword="SUMO WRESTLER 4" priority="1"/>
     <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
      </segment>
   </section>
   <section>
     <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
     </segment>
   </section>
   <section>
     <pointofview keyword="SUMO WRESTLER 0" priority="4"/>
     <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
```

```
</segment>
 </section>
 <section>
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
   <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
     <pointofview keyword="SUMO WRESTLER0" priority="3"/>
     <pointofview keyword="SUMO WRESTLER1" priority="3"/>
   </segment>
   <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
    <pointofview keyword="SUMO WRESTLER0" priority="1"/>
   </segment>
  <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  </segment>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="1"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
</section>
```

```
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO NAME" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <pointofview keyword="SUMO WRESTLER1" priority="2"/>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
  </segment>
</section>
<section>
  <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="1"/>
  </seament>
  <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 </segment>
 <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
 </segment>
 <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

```
</segment>
 </section>
 <section>
  <pointofview keyword="SUMO WRESTLER2" priority="2"/>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER5" priority="2"/>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </seament>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </seament>
  <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </seament>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="5"/>
 <pointofview keyword="SUMO WRESTLER1" priority="5"/>
 <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
```

```
</segment>
   <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
     <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   </segment>
   <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
     <pointofview keyword="SUMO WRESTLER1" priority="4"/>
   </segment>
   <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  </seament>
  <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  </segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </seament>
</section>
<section>
 <pointofview keyword="VIDEO" priority="4"/>
 <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 <pointofview keyword="SUMO WRESTLER1" priority="4"/>
 <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
```

```
<pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </segment>
    <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </segment>
    <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </segment>
    <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </seament>
  </section>
  <section>
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
    </segment>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
    </segment>
 </section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
 <pointofview keyword="SUMO WRESTLER2" priority="5"/>
 <pointofview keyword="SUMO WRESTLER3" priority="5"/>
 <section>
    <pointofview keyword="SUMO NAME" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
    </segment>
 </section>
 <section>
   <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
```

```
<segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
  <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 </segment>
 <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 </segment>
 <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
```

```
</segment>
  <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </seament>
  <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  </segment>
  <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  </segment>
  <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
```

ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML

```
<?xml version="1.0"?>
<!ELEMENT contents
                        (section+)>
<!ATTLIST
            contents
                        contents-id
                                   CDATA
                                               #REQUIRED
                        title
                                   CDATA
                                               #REQUIRED
                        runtime
                                   NMTOKEN
                                               #REQUIRED>
<!ELEMENT section
                        (pointofview*,(section+|segment+))>
<!ATTLIST
            section
                        caption
                                   CDATA
                                               #IMPLIED>
<!ELEMENT segment
                        (pointofview*,dominant-data)>
<!ATTLIST
            segment
                       start
                                   CDATA
                                               #REQUIRED
                                   CDATA
                        end
                                               #REQUIRED>
<!ELEMENT pointofview
                       EMPTY>
<!ATTLIST
           pointofview
                       keyword
                                   CDATA
                                               #REQUIRED
                       priority
                                   NMTOKEN
                                               #REQUIRED>
<!ELEMENT dominant-data EMPTY>
<!ATTLIST
           dominant-data frame-no
                                   NMTOKEN
                                               #IMPLIED
                       start
                                   CDATA
                                               #IMPLIED
                       end
                                   CDATA
                                               #IMPLIED
                       locator
                                   CDATA
                                               #IMPLIED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

<?xml version="1.0" encoding="euc-jp"?>

```
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</pre>
m04.dtd">
<contents
             contents-id="urn:upi:nhk:12345"
                                             title="GRAND
                                                              SUMO
TOURNAMENT" runtime="11:42">
  <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
    <section>
      <pointofview keyword="SUMO WRESTLER4" priority="1"/>
      <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
        <pointofview keyword="SUMO WRESTLER4" priority="1"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma01.mp3"/>
```

```
</segment>
      </section>
      <section>
        <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
          <dominant-data
 locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gif"/>
          <dominant-data
 locator="http://mserv.trl.mei.co.jp/DMA/dma02.mp3"/>
       </segment>
     </section>
     <section>
       <pointofview keyword="SUMO WRESTLER0" priority="4"/>
       <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
         <dominant-data
 locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gif"/>
         <dominant-data
 locator="http://mserv.trl.mei.co.jp/DMA/dma03.mp3"/>
       </segment>
     </section>
     <section>
       <pointofview keyword="SUMO WRESTLER0" priority="3"/>
       <pointofview keyword="SUMO WRESTLER1" priority="3"/>
       <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
         <pointofview keyword="SUMO WRESTLER0" priority="3"/>
         <pointofview keyword="SUMO WRESTLER1" priority="3"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma04.mp3"/>
       </segment>
      <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
        <pointofview keyword="SUMO WRESTLER0" priority="1"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma05.mp3"/>
      </segment>
      <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER1" priority="3"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma06.mp3"/>
```

```
</segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER4" priority="2"/>
      <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER4" priority="2"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.ip/DMA/dma07.mp3"/>
      </segment>
      <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER4" priority="1"/>
        <dominant-data
                                            start="smpte=00:00:31:20"
end="smtpe=00:00:35:05"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER1" priority="3"/>
      <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER1" priority="3"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma08.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
                                           start="smpte=00:00:47:00"
end="smpte=00:00:50:03"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER1" priority="3"/>
      <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
```

```
<pointofview keyword="SUMO WRESTLER1" priority="3"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma09.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO NAME" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="5"/>
      <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
        <pointofview keyword="SUMO NAME" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma10.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="2"/>
      <pointofview keyword="SUMO WRESTLER1" priority="2"/>
      <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
        <dominant-data
                            start="smpte=00:01:15:20"
                                                          end="smpte
=00:01:19:03"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="WIN-LOSS RECORD " priority="3"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
        <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma11.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

```
<pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="1"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma12.mp3"/>
      </segment>
      <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
                            start="smpte=00:01:52:20"
        <dominant-data
                                                          end="smpte
=00:01:55:10"/>
      </segment>
      <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma13.mp3"/>
      </segment>
      <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
                                            start="smpte=00:02:31:20"
end="smpte=00:02:38:11"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="2"/>
      <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
        <pointofview keyword="SUMO WRESTLER2" priority="2"/>
        <dominant-data
                                            start="smpte=00:02:47:25"
end="smpte=00:02:48:02"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER5" priority="2"/>
      <seament start="smpte=00:02:59:04" end="smpte=00:03:07:14">
        <pointofview keyword="SUMO WRESTLER5" priority="2"/>
        <dominant-data
                                            start="smpte=00:02:59:10"
end="smpte=00:03:02:12"/>
      </segment>
    </section>
    <section>
```

```
<pointofview keyword="SUMO WRESTLER0" priority="3"/>
       <pointofview keyword="SUMO WRESTLER1" priority="3"/>
       <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
         <pointofview keyword="SUMO WRESTLER0" priority="3"/>
         <pointofview keyword="SUMO WRESTLER1" priority="3"/>
         <dominant-data
                            start="smpte=00:03:08:12"
                                                         end="smpte=
 00:03:10:20"/>
       </segment>
       <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
         <pointofview keyword="SUMO WRESTLER0" priority="4"/>
         <dominant-data
                            start="smpte=00:03:15:10"
                                                         end="smpte=
 00:03:18:03"/>
       </segment>
       <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <dominant-data
                            start="smpte=00:03:22:08"
                                                        end="smpte=
 00:03:25:02"/>
       </segment>
       <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
         <pointofview keyword="SUMO WRESTLER0" priority="4"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <dominant-data
                           start="smpte=00:03:35:09"
                                                        end="smpte=
00:03:38:21"/>
      </segment>
      <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
                           start="smpte=00:03:48:00"
                                                        end="smpte=
00:03:51:17"/>
      </segment>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
                           start="smpte=00:03:59:02"
                                                        end="smpte=
00:04:01:07"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="5"/>
      <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
                          locator=http://mserv.trl.mei.co.jp/DMV/dmp14.
gif/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.jp/DMA/dma14.
mp3"/>
```

```
</segment>
      <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma15.mp3"/>
      </segment>
      <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma16.mp3"/>
      </segment>
      <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma17.mp3"/>
      </segment>
      <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma18.mp3"/>
      </seament>
      <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma19.mp3"/>
      </segment>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="5"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp20.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma20.
mp3"/>
      </segment>
```

```
</section>
    <section>
       <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
         <dominant-data
                            start="smpte=00:05:03:02"
                                                          end="smpte=
00:05:02:20"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
         <pointofview keyword="SUMO WRESTLER0" priority="5"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp21.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma21.
mp3"/>
      </segment>
      <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp22.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma22.
mp3"/>
      </segment>
      <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp23.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma23.
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp24.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma24.
mp3"/>
      </segment>
```

```
<segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
         <pointofview keyword="VIDEO" priority="4"/>
         <pointofview keyword="SUMO WRESTLER0" priority="5"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <dominant-data
                           locator="http://mserv.trl.mei.co.jp/DMV/dmp25.
 gif"/>
         <dominant-data
                           locator="http://mserv.trl.mei.co.jp/DMA/dma25.
 mp3"/>
       </segment>
       <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
         <pointofview keyword="VIDEO" priority="4"/>
         <pointofview keyword="SUMO WRESTLER0" priority="4"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp26.
gif"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma26.
mp3"/>
       </segment>
       <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
         <pointofview keyword="VIDEO" priority="4"/>
         <pointofview keyword="SUMO WRESTLER0" priority="4"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp27.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma27.
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
        <dominant-data
                           start="smpte=00:06:18:25"
                                                        end="smpte=
00:06:20:17"/>
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
        <dominant-data
                           start="smpte=00:06:25:01"
                                                        end="smpte=
00:06:30:11"/>
      </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <section>
```

```
<pointofview keyword="SUMO NAME" priority="4"/>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <pointofview keyword="SUMO WRESTLER3" priority="5"/>
      <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
         <pointofview keyword="SUMO NAME" priority="4"/>
         <pointofview keyword="SUMO WRESTLER2" priority="5"/>
         <pointofview keyword="SUMO WRESTLER3" priority="5"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gif"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma28.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="WIN-LOSS REORD" priority="3"/>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
        <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp29.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma29.
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="2"/>
      <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
        <pointofview keyword="SUMO WRESTLER0" priority="2"/>
        <dominant-data
                           start="smpte=00:07:16:05"
                                                        end="smpte=
00:07:18:23"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data
                           start="smpte=00:07:41:28"
                                                        end="smpte=
00:07:43:01"/>
      </segment>
    </section>
    <section>
```

```
<pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
         <pointofview keyword="SUMO WRESTLER2" priority="4"/>
         <pointofview keyword="SUMO WRESTLER3" priority="4"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gif"/>
         <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma30.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma31.mp3"/>
      </seament>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp32.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma32.
mp3"/>
      </segment>
      <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp33.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma33.
mp3"/>
      </segment>
      <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.</pre>
gif"/>
```

```
<dominant-data
                           locator="http://mserv.trl.mei.co.jp/DMA/dma34.
mp3"/>
       </segment>
      <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
         <pointofview keyword="SUMO WRESTLER2" priority="4"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp35.
gif"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma35.
mp3"/>
      </segment>
      <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp36.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma36.
mp3"/>
      </seament>
      <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp37.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma37.
mp3"/>
      </segment>
      <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp38.
gif''/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma38.
mp3"/>
      </segment>
      <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp39.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.ip/DMA/dma39.
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <pointofview keyword="SUMO WRESTLER3" priority="5"/>
      <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
```

```
<pointofview keyword="SUMO WRESTLER2" priority="5"/>
         <pointofview keyword="SUMO WRESTLER3" priority="5"/>
         <dominant-data
                           locator="http://mserv.trl.mei.co.jp/DMV/dmp40.
gif"/>
         <dominant-data
                           locator="http://mserv.trl.mei.co.jp/DMA/dma40.
mp3"/>
       </seament>
       <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
         <pointofview keyword="SUMO WRESTLER2" priority="5"/>
         <dominant-data
                           locator="http://mserv.trl.mei.co.jp/DMV/dmp41.
gif"/>
         <dominant-data
                           locator="http://mserv.trl.mei.co.jp/DMA/dma41.
mp3"/>
       </segment>
       <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
         <pointofview keyword="SUMO WRESTLER2" priority="4"/>
         <pointofview keyword="SUMO WRESTLER3" priority="4"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp42.
gif"/>
         <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma42.
mp3"/>
      </segment>
      <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp43.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma43.
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp44.
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma44.
mp3"/>
      </segment>
```

```
</section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp45.
        <dominant-data
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma45.
        <dominant-data
mp3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
        <dominant-data
                            start="smpte=00:11:29:13"
                                                         end="smpte=
11:32:21"/>
      </segment>
    </section>
  </section>
</contents>
```




FIG. 82






FIG. 83





79/259





FIG. 86



81/259




FIG. 88

<?xml version="1.0"?>

ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML

```
<!ELEMENT contents
                        (mediaobject+)>
<!ATTLIST
                        contents-id
           contents
                                   CDATA
                                               #REQUIRED
                        title
                                   CDATA
                                               #REQUIRED
                        runtime
                                   NMTOKEN #REQUIRED>
<!ELEMENT mediaobject (section+)>
<!ATTLIST
           mediaobject id
                                   CDATA
                                               #REQUIRED>
<!ELEMENT section
                        (pointofview*,(section+|segment+))>
<!ATTLIST
           section
                        caption
                                   CDATA
                                               #IMPLIED>
<!ELEMENT segment</pre>
                        (pointofview*)>
<!ATTLIST
           segment
                                   CDATA
                                               #REQUIRED
                       start
                        end
                                   CDATA
                                               #REQUIRED>
<!ELEMENT pointofview</pre>
                       EMPTY>
<!ATTLIST
           pointofview
                       keyword
                                   CDATA
                                               #REQUIRED
                       priority
                                   NMTOKEN
                                               #REQUIRED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</pre>
m08.dtd">
<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR</pre>
NAMENT" runtime="11:42">
<mediaobject id="mobj-01">
   <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
     <pointofview keyword="SUMO WRESTLER1" priority="5"/>
     <section>
       <pointofview keyword="SUMO WRESTLER4" priority="1"/>
       <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
       </segment>
     </section>
    <section>
      <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
      </seament>
    </section>
    <section>
```

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
   </seament>
 </section>
 <section>
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
   <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
     <pointofview keyword="SUMO WRESTLER0" priority="3"/>
     <pointofview keyword="SUMO WRESTLER1" priority="3"/>
   </seament>
   <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
     <pointofview keyword="SUMO WRESTLER0" priority="1"/>
   </segment>
  <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  </segment>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER4" priority="1"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

```
</segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO NAME" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <pointofview keyword="SUMO WRESTLER1" priority="2"/>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
  </seament>
</section>
<section>
  <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="1"/>
  </seament>
  <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
```

```
</segment>
  <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="2"/>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER5" priority="2"/>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </seament>
  <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </seament>
  <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
 <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
```

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  </segment>
  <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  </segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
```

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <seament start="smpte=00:05:23:22" end="smpte=00:05:44:15">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </segment>
      <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </segment>
      <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </segment>
      <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </seament>
    </section>
     <section>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
      </seament>
    </section>
  </section>
</mediaobject>
<mediaobject id="mobj-02">
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <section>
      <pointofview keyword="SUMO NAME" priority="4"/>
     <pointofview keyword="SUMO WRESTLER2" priority="5"/>
     <pointofview keyword="SUMO WRESTLER3" priority="5"/>
     <segment start="smpte=00:00:00:00" end="smpte=00:00:42:24">
     </segment>
```

```
</section>
<section>
  <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:00:42:25" end="smpte=00:00:57:21">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <segment start="smpte=00:00:57:22" end="smpte=00:01:21:26">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <segment start="smpte=00:01:21:27" end="smpte=00:01:28:02">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:01:28:03" end="smpte=00:01:35:17">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:01:35:18" end="smpte=00:01:43:21">
  </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:01:43:22" end="smpte=00:02:00:02">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 </segment>
 <segment start="smpte=00:02:00:03" end="smpte=00:02:21:05">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 </segment>
 <segment start="smpte=00:02:21:06" end="smpte=00:02:29:06">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 </segment>
```

```
<segment start="smpte=00:02:29:07" end="smpte=00:02:45:27">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
  <segment start="smpte=00:02:45:28" end="smpte=00:02:48:20">
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:02:49:21" end="smpte=00:02:58:26">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </seament>
  <segment start="smpte=00:02:58:27" end="smpte=00:03:02:25">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </seament>
  <segment start="smpte=00:03:02:26" end="smpte=00:03:04:27">
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <segment start="smpte=00:03:04:28" end="smpte=00:03:30:11">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  </segment>
  <segment start="smpte=00:03:30:12" end="smpte=00:03:33:27">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  </segment>
  <segment start="smpte=00:03:33:28" end="smpte=00:03:39:01">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 </segment>
  <segment start="smpte=00:03:39:02" end="smpte=00:03:54:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </seament>
</section>
<section>
 <pointofview keyword="VIDEO" priority="4"/>
 <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:03:54:22" end="smpte=00:04:23:17">
    <pointofview keyword="VIDEO" priority="4"/>
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
```

FIG. 96

FIG. 97




FIG. 98





FIG. 99



F/G. 100




FIG. 101





FIG. 102



ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML

<?xml version="1.0"?>

<!ENTITY % types "(audio|video|audiovideo)">

<!ENTITY % formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg

2-ps/mpeg2-ts/mpeg2-video)">

<!ELEMENT contents

<!ELEMENT layer

<!ELEMENT context

layer

context

<!ATTLIST

<!ATTLIST

(mediaobject+)>

<!ATTLIST contents contents-id CDATA #REQUIRED CDATA title #REQUIRED runtime **NMTOKEN** #REQUIRED> <!ELEMENT mediaobject (channel+)> <!ATTLIST mediaobject caption CDATA #IMPLIED type %types; "audiovideo" format %formats; #REQUIRED locator **CDATA** #REQUIRED> <!ELEMENT channel (pointofview*,grpoflayers?, context)> <!ATTLIST channel caption CDATA #IMPLIED priority NMTOKEN #REQUIRED> <!ELEMENT pointofview EMPTY> <!ATTLIST pointofview keyword CDATA #REQUIRED priority NMTOKEN #REQUIRED> <!ELEMENT grpoflayer (layer+)>

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE

CDATA

CDATA

NMTOKEN

#REQUIRED

#REQUIRED>

#REQUIRED>

EMPTY>

layer-id

priority

EMPTY>

Locator

SCRIPTION DATA PREPARED BY DTD <?xml version="1.0" encoding="euc-jp"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</pre> m05.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR</pre> NAMENT" runtime="11:42">

<mediaobject caption="YOKOZUNA" type="audiovideo" format="mpeg</pre> 1-system"

locator="http://mserv.trl.mei.co.jp/MPEG/sumou01.mpg"> <channel caption="GRAND SUMO TOURNAMENT audiovideo" pri</p> ority="5">

<pointofview keyword="audiovideo" priority="5">

FIG. 104

```
<context Locator="http://mserv.trl.mei.co.jp/SMML/sumou01.xml"/>
     </channel>
  </mediaobject>
  <mediaobject caption="YOKOZUNA" type="video" format="mpeg2-vid</pre>
eo"
          locator="http://mserv.trl.mei.co.jp/MPEG/sumou01v.mpg">
     <channel caption="GRAND SUMO TOURNAMENT video" priority=</p>
       <pointofview keyword="video" priority="5">
       <grpoflayers>
         <layer layer-id="video-normal" priority="5"/>
         <layer layer-id="video-high" prioity="3"/>
       </grpoflayers>
       <context Locator="http://mserv.trl.mei.co.jp/SMML/sumou01v.xml"/</pre>
>
    </channel>
  </mediaobject>
  <mediaobject caption="YOKOZUNA" type="audio" format="mpeg-audi</pre>
o"
          locator="http://mserv.trl.mei.co.jp/MPEG/sumou01a.mpg">
    <channel caption="GROUND SUMO TOURNAMENT Japanese" pri</pre>
ority="4">
      <pointofview keyword="Japanese" priority="5">
      <context Locator="http://mserv.trl.mei.co.jp/SMML/sumou01as.xml"</pre>
/>
    </channel>
    <channel caption="GROUND SMO TOURNAMENT English" priorit</p>
v="3">
      <pointofview keyword="English" priority="5">
      <context Locator="http://mserv.trl.mei.co.jp/SMML/sumou01am.xml</pre>
"/>
    </channel>
  </mediaobject>
</contents>
```

FIG. 105




FIG. 106




FIG. 107





FIG. 108



101/259




FIG. 110




FIG. 111




FIG. 112





FIG. 113






FIG. 114







FIG. 116







110/259

FIG. 118

FIG. 119




FIG. 120




FIG. 121




FIG. 122




FIG. 123






FIG. 124



DATA RECORDING
MEDIUM MANAGEMENT
STEP DATA RECORDING MEDIUM RECORDING STEP **FORMATION STEP EXTRACTION STEP** SELECTION STEP SELECTION SEGMENT MEDIA CONTENT -CONTEXT DESCRIPTION DATA



DTD TO BE USED FOR DESCRIBING, IN XML, ONE EXAMPLE OF DATA INTO WHICH CONTEXT DESCRIPTION DATA AND STRUCT URE DESCRIPTION DATA ARE MERGED <?xml version="1.0"?>

<!ENTITY % types "(audio|video|audiovideo)"> <!ENTITY % formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg 2-ps|mpeg2-ts|mpeg2-video)"> <!ELEMENT contents (mediaobject+)> contents-id **CDATA** <!ATTLIST contents #REQUIRED title CDATA #REQUIRED **NMTOKEN** runtime #REQUIRED> <!ELEMENT mediaobject (channel+)> mediaobject caption <!ATTLIST **CDATA** #IMPLIED type %types; "audiovideo" %formats; #REQUIRED format NMTOKEN #REQUIRED seq locator CDATA #REQUIRED> <!ELEMENT channel (pointofview*,grpoflayers?, context)> <!ATTLIST channel **CDATA** #IMPLIED caption priority **NMTOKEN** #REQUIRED> <!ELEMENT pointofview EMPTY> #REQUIRED <!ATTLIST pointofview keyword **CDATA** priority **NMTOKEN** #REQUIRED> (layer+)> <!ELEMENT grpoflayer</pre> <!ELEMENT layer EMPTY> <!ATTLIST laver laver-id CDATA #REQUIRED priority NMTOKEN #REQUIRED> <!ELEMENT context (section+)> <!ELEMENT section (section+|segment+)> <!ATTLIST #IMPLIED section caption CDATA priority NMTOKEN #REQUIRED> <!ELEMENT segment EMPTY> <!ATTLIST CDATA #REQUIRED segment start end CDATA #REQUIRED priority NMTOKEN #REQUIRED>

ONE EXAMPLE OF XML DOCUMENT INTO WHICH CONTEXT DES CRIPTION DATA AND PHYSICAL DESCRIPTION DATA ARE MERGE D BY MEANS OF DTD

<?xml version="1.0" encoding="euc-ip"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m05.dtd">


```
<contents contents-id="urn:upi:mei:12345" title="GROUND SUMO TOU</pre>
RNAMENT" runtime="11:42">
  <mediaobject caption="YOKOZUNA" type="audiovideo" format="mpeg</p>
1-system"
          seq="1" locator="sumou01.mpg">
    <channel caption="GROUND SUMO TOURNAMENT audiovideo" p</p>
riority="5">
       <pointofview keyword="audiovideo" priority="5">
       <context>
         <section caption="SUMO WRESTLERO VS. SUMO WRESTLE</pre>
R1" priority="5">
           <section priority="1">
              <segment start="smpte=00:00:00:00" end="smpte=00:00:0</pre>
4:17" priority="1"/>
              <segment start="smpte=00:00:04:18" end="smpte=00:00:0</pre>
9:08" priority="1"/>
           </section>
           <section priority="2">
              <segment start="smpte=00:00:09:09" end="smpte=00:00:1
4:13" priority="2"/>
           </section>
           <section priority="3">
             <segment start="smpte=00:00:14:14" end="smpte=00:00:1</pre>
9:19" priority="3"/>
           </section>
           <section priority="1">
             <segment start="smpte=00:00:19:20" end="smpte=00:00:2</pre>
2:19" priority="1"/>
           </section>
           <section priority="3">
             <segment start="smpte=00:00:22:20" end="smpte=00:00:2</pre>
8:10" priority="3"/>
             <segment start="smpte=00:00:28:11" end="smpte=00:00:3
0:28" priority="3"/>
             <segment start="smpte=00:00:30:29" end="smpte=00:00:4</pre>
3:11" priority="3"/>
           </section>
           <section priority="2">
             <segment start="smpte=00:00:43:12" end="smpte=00:00:4</pre>
6:20" priority="2"/>
           </section>
           <section priority="3">
             <segment start="smpte=00:00:46:21" end="smpte=00:00:5</pre>
7:09" priority="3"/>
           </section>
```

```
<section priority="2">
               <segment start="smpte=00:00:57:10" end="smpte=00:01:0"
 0:28" priority="2"/>
            </section>
            <section priority="4">
               <segment start="smpte=00:01:00:29" end="smpte=00:01:1
 4:14" priority="4"/>
            </section>
            <section priority="2">
               <segment start="smpte=00:01:14:15" end="smpte=00:01:2
 4:20" priority="2"/>
            </section>
            <section priority="3">
               <segment start="smpte=00:01:24:21" end="smpte=00:01:3</pre>
 9:26" priority="3"/>
            </section>
            <section priority="2">
              <segment start="smpte=00:01:39:27" end="smpte=00:01:5</pre>
 2:09" priority="2"/>
              <segment start="smpte=00:01:52:10" end="smpte=00:02:0</pre>
2:16" priority="2"/>
              <segment start="smpte=00:02:02:17" end="smpte=00:02:3</pre>
1:09" priority="2"/>
              <segment start="smpte=00:02:31:10" end="smpte=00:02:4
7:18" priority="3"/>
            </section>
           <section priority="1">
              <segment start="smpte=00:02:47:19" end="smpte=00:02:5
9:03" priority="1"/>
              <segment start="smpte=00:02:59:04" end="smpte=00:03:0
7:14" priority="1"/>
           </section>
           <section priority="2">
              <segment start="smpte=00:03:07:15" end="smpte=00:03:1</pre>
3:28" priority="2"/>
              <segment start="smpte=00:03:13:29" end="smpte=00:03:2</pre>
1:28" priority="2"/>
              <segment start="smpte=00:03:21:29" end="smpte=00:03:3</pre>
3:15" priority="2"/>
              <segment start="smpte=00:03:33:16" end="smpte=00:03:4
7:00" priority="2"/>
             <segment start="smpte=00:03:47:01" end="smpte=00:03:5</pre>
8:14" priority="2"/>
```

```
<segment start="smpte=00:03:58:15" end="smpte=00:04:1
  2:27" priority="2"/>
             </section>
             <section priority="3">
               <segment start="smpte=00:04:12:28" end="smpte=00:04:2</pre>
 0:01" priority="3"/>
             </section>
            <section priority="4">
               <segment start="smpte=00:04:20:02" end="smpte=00:04:3
 1:05" priority="4"/>
               <segment start="smpte=00:04:31:06" end="smpte=00:04:3</pre>
 4:28" priority="4"/>
               <segment start="smpte=00:04:34:29" end="smpte=00:04:3</pre>
 7:06" priority="4"/>
            </section>
            <section priority="5">
               <segment start="smpte=00:04:37:07" end="smpte=00:04:5"
 7:05" priority="5"/>
            </section>
            <section priority="5">
              <segment start="smpte=00:04:57:06" end="smpte=00:05:0
 0:02" priority="5"/>
              <segment start="smpte=00:05:00:03" end="smpte=00:05:0</pre>
2:06" priority="4"/>
            </section>
           <section priority="2">
              <segment start="smpte=00:05:02:07" end="smpte=00:05:0</pre>
4:16" priority="2"/>
           </section>
           <section priority="4">
              <segment start="smpte=00:05:04:17" end="smpte=00:05:1
3:25" priority="4"/>
              <segment start="smpte=00:05:13:26" end="smpte=00:05:1
7:01" priority="4"/>
             <segment start="smpte=00:05:17:02" end="smpte=00:05:2</pre>
3:21" priority="3"/>
             <segment start="smpte=00:05:23:22" end="smpte=00:05:4</pre>
4:15" priority="4"/>
             <segment start="smpte=00:05:44:16" end="smpte=00:05:5
0:27" priority="4"/>
             <segment start="smpte=00:05:50:28" end="smpte=00:06:0
8:15" priority="4"/>
             <segment start="smpte=00:06:08:16" end="smpte=00:06:1
8:05" priority="4"/>
```

```
<segment start="smpte=00:06:18:06" end="smpte=00:06:2
  4:04" priority="4"/>
               <segment start="smpte=00:06:24:05" end="smpte=00:06:4
 1:04" priority="4"/>
            </section>
          </section>
        </context>
      </channel>
   </mediaobject>
   <mediaobject caption="YOKOZUNA" type="audiovideo" format="mpeg</pre>
 1-system"
           seq="2" locator="sumou02.mpg">
      <channel caption="GROUND SUMO TOURNAMENT audiovideo" p</p>
 riority="5">
        <pointofview keyword="audiovideo" priority="5">
        <context>
          <section caption="SUMO WRESTLER2 VS. SUMO WRESTLE</p>
 R3" priority="4">
            <section priority="4">
              <segment start="smpte=00:00:00:00" end="smpte=00:00:4</pre>
 2:24" priority="4"/>
            </section>
           <section priority="3">
              <segment start="smpte=00:00:42:25" end="smpte=00:00:5</pre>
7:21" priority="3"/>
           </section>
           <section priority="2">
              <segment start="smpte=00:00:57:22" end="smpte=00:01:2</pre>
1:26" priority="1"/>
              <segment start="smpte=00:01:21:27" end="smpte=00:01:2</pre>
8:02" priority="2"/>
              <segment start="smpte=00:01:28:03" end="smpte=00:01:3</pre>
5:17" priority="2"/>
             <segment start="smpte=00:01:35:18" end="smpte=00:01:4</pre>
3:21" priority="2"/>
             <segment start="smpte=00:01:43:22" end="smpte=00:02:0
0:02" priority="2"/>
             <segment start="smpte=00:02:00:03" end="smpte=00:02:2
1:05" priority="2"/>
             <segment start="smpte=00:02:21:06" end="smpte=00:02:2
9:06" priority="2"/>
             <segment start="smpte=00:02:29:07" end="smpte=00:02:4
5:27" priority="2"/>
             <segment start="smpte=00:02:45:28" end="smpte=00:02:4
9:20" priority="2"/>
```

```
</section>
            <section priority="3">
              <segment start="smpte=00:02:49:21" end="smpte=00:02:5</pre>
8:26" priority="3"/>
              <segment start="smpte=00:02:58:27" end="smpte=00:03:0</pre>
2:25" priority="3"/>
            </section>
            <section priority="4">
              <segment start="smpte=00:03:02:26" end="smpte=00:03:0"</pre>
4:27" priority="4"/>
           </section>
           <section priority="5">
              <segment start="smpte=00:03:04:28" end="smpte=00:03:3</pre>
0:11" priority="5"/>
           </section>
           <section priority="4">
              <segment start="smpte=00:03:30:12" end="smpte=00:03:3</pre>
3:27" priority="4"/>
           </section>
           <section priority="3">
              <segment start="smpte=00:03:33:28" end="smpte=00:03:3</pre>
9:01" priority="3"/>
              <segment start="smpte=00:03:39:02" end="smpte=00:03:5</pre>
4:21" priority="3"/>
           </section>
           <section priority="4">
              <segment start="smpte=00:03:54:22" end="smpte=00:04:2</pre>
3:17" priority="4"/>
           </section>
           <section priority="3">
              <segment start="smpte=00:04:23:18" end="smpte=00:05:1</pre>
0:17" priority="3"/>
           </section>
           <section priority="1">
              <segment start="smpte=00:05:10:18" end="smpte=00:05:2</pre>
3:29" priority="1"/>
           </section>
         </section>
      </context>
    </channel>
  </mediaobject>
</contents>
```



{ VIEW1, VIEW2, VIEW3, \cdots , VIEWn }

FIG. 135

 $\{5, 0, 2, \cdots, 0\}$

```
DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML
```

```
<?xml version="1.0"?>
<!ELEMENT contents
                        (povlist?,section+)>
<!ATTLIST
            contents
                        contents-id
                                   CDATA
                                               #REQUIRED
                        title
                                    CDATA
                                               #REQUIRED
                        runtime
                                    NMTOKEN
                                               #REQUIRED>
<!ELEMENT povlist
                        (pointofview+)>
<!ELEMENT pointofview
                        EMPTY>
<!ATTLIST
            pointofview
                        keyword
                                   CDATA
                                               #REQUIRED>
<!ELEMENT section
                        (povvalue?,(section+|segment+))>
<!ATTLIST
            section
                        caption
                                   CDATA
                                               #IMPLIED>
<!ELEMENT povvalue
                        (priority+)>
<!ELEMENT priority
                        EMPTY>
<!ELEMENT segment
                        (povvalue?)>
<!ATTLIST
            segment
                        start
                                   CDATA
                                               #REQUIRED
                        end
                                   CDATA
                                               #REQUIRED>
<!ELEMENT pointofview
                       EMPTY>
<!ATTLIST
           pointofview
                       keyword
                                   CDATA
                                               #REQUIRED
                        priority
                                   NMTOKEN
                                               #REQUIRED>
```

<pointofview keyword="SUMO WRESTLER5"/>
 <pointofview keyword="SUMO NAME"/>
 <pointofview keyword="WIN-LOSS RECORD"/>
 <pointofview keyword="VIDEO"/>
 </povlist>
 <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">

<pointofview keyword="SUMO WRESTLER3"/>
<pointofview keyword="SUMO WRESTLER4"/>

```
<povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <section>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
   <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="1"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
   <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
   <povvalue>
     <priority value="1"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <povvalue>
       <priority value="3"/>
       <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <povvalue>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <pri>ority value="0"/>
    </povvalue>
```

```
</segment>
    <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
      <povvalue>
        <priority value="3"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="1"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
   </segment>
 </section>
 <section>
   <povvalue>
     <priority value="3"/>
     <priority value="3"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <povvalue>
       <priority value="3"/>
       <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
```

```
<priority value="0"/>
     <priority value="0"/>
   </povvalue>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
     <povvalue>
       <priority value="4"/>
       <priority value="0"/>
       ority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
```

```
<priority value="0"/>
        <priority value="0"/>
     </povvalue>
   </segment>
 </section>
 <section>
   <povvalue>
     <priority value="5"/>
     <priority value="5"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
     <povvalue>
       <priority value="5"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="2"/>
    <priority value="2"/>
    <pri>ority value="0"/>
    <pri>ority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
```

```
</segment>
</section>
<section>
  <povvalue>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
     <pri>ority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
    <povvalue>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="3"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
    <povvalue>
      <priority value="4"/>
      <priority value="1"/>
```

```
<priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
   </povvalue>
 </seament>
 <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
   <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
</segment>
<segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
   <povvalue>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
        <priority value="0"/>
      </povvalue>
   </segment>
 </section>
 <section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="2"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <pri>ority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
```

```
<povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
   <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
<segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
   <povvalue>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/> .
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
</povvalue>
  </segment>
  <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
     <povvalue>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
</section>
<section>
  <povvalue>
     <priority value="5"/>
     <priority value="5"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
     <pri>ority value="0"/>
  </povvalue>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
    <povvalue>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
· </segment>
  <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
    <povvalue>
      <priority value="4"/>
```

```
<priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
      <priority value="0"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
   <povvalue>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
  <povvalue>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
     </povvalue>
   </segment>
   <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
     <povvalue>
        <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
   </segment>
   <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
     <povvalue>
       <priority value="5"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
     <povvalue>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <povvalue>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <povvalue>
      <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
```

```
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
 </povvalue>
 <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    <povvalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
   <povvalue>
     <priority value="5"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
   <povvalue>
     <priority value="4"/>
```

```
<priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
       </povvalue>
     </segment>
     <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
       <povvalue>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
       </povvalue>
     </segment>
  </section>
  <section>
     <povvalue>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
    </segment>
  </section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
```

```
<pointofview keyword="SUMO WRESTLER3" priority="5"/>
 <povvalue>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="5"/>
   <priority value="5"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
 </povvalue>
 <section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="5"/>
     <priority value="5"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="5"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="3"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="3"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
    <povvalue>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
```

```
</segment>
 </section>
 <section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
```

```
<priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
     </povvalue>
   </segment>
 </section>
 <section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <pri>priority value="0"/>
     <priority value="0"/>
   </povvalue>
  <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
</segment>
<segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</seament>
<segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
```

```
<povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
  <povvalue>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
  <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
   </povvalue>
```

```
</segment>
   <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
     <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
   </segment>
   <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <pri>ority value="0"/>
     </povvalue>
  </segment>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
    </povvalue>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
 <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
```

```
DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH
USE OF XML
<?xml version="1.0"?>
```

<!ELEMENT contents (povlist?, section+)> <!ATTLIST contents contents-id CDATA #REQUIRED title CDATA #REQUIRED NMTOKEN runtime #REQUIRED> <!ELEMENT povlist (pointofview+)> <!ELEMENT pointofview EMPTY> <!ATTLIST pointofview kevword CDATA #REQUIRED> <!ELEMENT section (povvalue?,(section+|segment+))> <!ATTLIST section caption **CDATA** #IMPLIED> <!ELEMENT povvalue (priority+)> <!ELEMENT priority</pre> EMPTY> <!ELEMENT segment (povvalue?,dominant-data)> <!ATTLIST segment start CDATA #REQUIRED end CDATA #REQUIRED> <!ELEMENT pointofview EMPTY> <!ATTLIST pointofview keyword CDATA #REQUIRED priority NMTOKEN #REQUIRED> <!ELEMENT dominant-data EMPTY> <!ATTLIST dominant-data frame-no **NMTOKEN** #IMPLIED start

```
ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE
SCRIPTION DATA PREPARED BY DTD
```

CDATA

CDATA

CDATA

#IMPLIED

#IMPLIED

#IMPLIED>

<?xml version="1.0" encoding="euc-jp"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</pre> m11.dtd">

```
<contents
           contents-id="urn:upi:nhk:12345"
                                          title="GROUND
                                                           SUMO
TOURNAMENT" runtime="11:42">
  <povlist>
   <pointofview keyword="SUMO WRESTLER0"/>
```

<pointofview keyword="SUMO WRESTLER1"/>

end

locator

<pointofview keyowrd="SUMO WRESTLER2"/>

<pointofview keyword="SUMO WRESTLER3"/>

<pointofview keyword="SUMO WRESTLER4"/>

```
<pointofview keyword="SUMO WRESTLER5"/>
  <pointofview keyword="SUMO NAME"/>
  <pointofview keyword="WIN-LOSS RECORD"/>
  <pointofview keyword="VIDEO"/>
</povlist>
<section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
 <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
   <priority value="0"/>
 </povvalue>
 <section>
   <povvalue>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="1"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <pri>priority value="0"/>
   </povvalue>
   <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
     <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="1"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
     <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi</pre>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma01.m</pre>
 p3"/>
        </segment>
     </section>
     <section>
       <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.m
p3"/>
       </segment>
     </section>
     <section>
       <povvalue>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
      <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03.m
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="3"/>
        <priority value="3"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
```

```
<povvalue>
            <priority value="3"/>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.m
p3"/>
       </segment>
       <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
         <povvalue>
            <priority value="1"/>
            <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma05.m
p3"/>
       </segment>
      <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

```
</povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m</p>
 p3"/>
        </segment>
      </section>
     <section>
        <povvalue>
          <priority value="3"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="2"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
          <povvalue>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.m</pre>
p3"/>
       </segment>
      <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
         <povvalue>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="1"/>
           <priority value="0"/>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:00:31:20" end="smtpe=00:00:</pre>
 35:05"/>
        </segment>
      </section>
      <section>
        <povvalue>
          <priority value="3"/>
          <priority value="3"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
          <povvalue>
            <priority value="3"/>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
```

```
<priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:</pre>
50:03"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="3"/>
        <priority value="3"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
        <povvalue>
          <priority value="3"/>
          <priority value="3"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

```
<priority value="0"/>
           </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gi
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma09.m</pre>
 p3"/>
        </segment>
     </section>
     <section>
        <povvalue>
          <priority value="5"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
         <povvalue>
            <priority value="5"/>
            <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma10.m</p>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="2"/>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>
```

```
<priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
          <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:</pre>
 19:03"/>
        </segment>
     </section>
     <section>
       <povvalue>
          <priority value="4"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="3"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="3"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m</pre>
p3"/>
       </segment>
    </section>
    <section>
      <povvalue>
         <priority value="4"/>
```

```
<priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <pri>ority value="0"/>
          <priority value="0"/>
        </povvalue>
        <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
          <povvalue>
            <priority value="4"/>
            <priority value="1"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma12.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:01:52:20" end="smpte=00:01:</pre>
55:10"/>
      </segment>
      <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
         <povvalue>
           <priority value="4"/>
```

```
<priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
         <povvalue>
            <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:</pre>
38:11"/>
       </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
        <povvalue>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="2"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:</pre>
 48:02"/>
        </segment>
     </section>
     <section>
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
         <povvalue>
            <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:</pre>
02:12"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="3"/>
```

```
<priority value="3"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
          <povvalue>
            <priority value="3"/>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:</pre>
10:20"/>
       </segment>
       <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:</pre>
18:03"/>
      </segment>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
        <povvalue>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
```

```
<priority value="0"/>
             <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:</pre>
 25:02"/>
        </segment>
        <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
          <povvalue>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:</pre>
38:21"/>
       </segment>
       <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:</pre>
51:17"/>
      </segment>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
        <povvalue>
           <priority value="0"/>
           <priority value="4"/>
```

168/259

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:</pre>
 01:07"/>
        </segment>
     </section>
     <section>
       <povvalue>
          <priority value="5"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.m
p3"/>
      </segment>
      <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma15.m</pre>
 p3"/>
        </segment>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
          <povvalue>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma16.m
p3"/>
       </segment>
       <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
         <povvalue>
            <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gi
f"/>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma17.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma18.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
         <povvalue>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma19.m</pre>
p3"/>
      </segment>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp20.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma20.m</pre>
 p3"/>
        </segment>
     </section>
     <section>
        <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
          <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:</pre>
 02:20"/>
        </segment>
     </section>
     <section>
        <povvalue>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
         <povvalue>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.gi</pre>
f"/>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.m"</pre>
 p3"/>
        </segment>
        <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
          <povvalue>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
         <povvalue>
            <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
```

```
<priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
       </povvalue>
       <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
         <pointofview keyword="VIDEO" priority="4"/>
         <pointofview keyword="SUMO WRESTLER0" priority="5"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <povvalue>
            <priority value="5"/>
           <priority value="4"/>
           <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
         <povvalue>
           <priority value="5"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.m</pre>
p3"/>
       </segment>
      <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
```

119

```
<povvalue>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp26.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
         <povvalue>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp27.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.m</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
```

```
<priority value="0"/>
       </povvalue>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
         <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:</pre>
20:17"/>
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
        <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:</pre>
30:11"/>
      </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
   </povvalue>
   <section>
     <povvalue>
        <priority value="0"/>
        <priority value="0"/>
       <priority value="5"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
     <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="5"/>
         <priority value="5"/>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="4"/>
             <priority value="0"/>
             <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma28.m</pre>
 p3"/>
        </segment>
     </section>
     <section>
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="3"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
         <povvalue>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="3"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp29.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma29.m</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
```

```
<priority value="2"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
         <povvalue>
            <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:</pre>
18:23"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
```

```
<priority value="0"/>
             <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:</pre>
 43:01"/>
        </segment>
     </section>
     <section>
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma30.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
```

```
<priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
         <povvalue>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <pri>ority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma31.m
p3"/>
      </seament>
    </section>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="4"/>
```

```
<priority value="0"/>
             <priority value="0"/>
             <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.m
 p3"/>
        </segment>
        <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp33.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.m
p3"/>
       </segment>
       <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma34.m
p3"/>
```

```
</segment>
        <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
         <povvalue>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m</p>
p3"/>
      </segment>
      <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
```


```
<priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp37.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m"</pre>
 p3"/>
        </segment>
       <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp39.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma39.m</p>
p3"/>
      </segment>
    </section>
    <section>
```

```
<povvalue>
           <priority value="0"/>
           <priority value="0"/>
          <priority value="5"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="5"/>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
         <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="5"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m
p3"/>
```

```
</segment>
        <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp42.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma42.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
         <pointofview keyword="SUMO WRESTLER2" priority="4"/>
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp43.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma43.m</p>
p3"/>
       </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
```

```
<priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
       </povvalue>
       <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp44.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma44.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

```
<priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
        <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2</pre>
1"/>
      </segment>
    </section>
  </section>
</contents>
```



```
DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH
 USE OF XMI
<?xml version="1.0"?>
<!ELEMENT contents
                       (povlist?,section+)>
<!ATTLIST
           contents
                       contents-id
                                   CDATA
                                               #REQUIRED
                       title
                                   CDATA
                                               #REQUIRED
                       runtime
                                   NMTOKEN
                                               #REQUIRED>
<!ELEMENT povlist
                       (pointofview+)>
<!ELEMENT pointofview
                       EMPTY>
<!ATTLIST
           pointofview
                       keyword
                                   CDATA
                                               #REQUIRED>
<!ELEMENT section
                       (povlist?,povvalue?,(section+|segment+))>
<!ATTLIST
           section
                       caption
                                   CDATA
                                               #IMPLIED>
<!ELEMENT povvalue
                       (priority+)>
<!ELEMENT priority
                       EMPTY>
<!ELEMENT segment
                       (povlist?,povvalue?)>
<!ATTLIST
           segment
                       start
                                   CDATA
                                              #REQUIRED
                       end
                                   CDATA
                                              #REQUIRED>
```

```
ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE
SCRIPTION DATA PREPARED BY DTD
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</pre>
m12.dtd">
<contents
           contents-id="urn:upi:nhk:12345"
                                        title="GROUND
                                                        SUMO
TOURNAMENT" runtime="11:42">
  <povlist>
   <pointofview keyword="SUMO WRESTLER0"/>
   <pointofview keyword="SUMO WRESTLER1"/>
   <pointofview keyowrd="SUMO WRESTLER2"/>
   <pointofview keyword="SUMO WRESTLER3"/>
   <pointofview keyword="SUMO WRESTLER4"/>
   <pointofview keyword="SUMO WRESTLER5"/>
   <pointofview keyword="SUMO NAME"/>
   <pointofview keyword="WIN-LOSS RECORD"/>
   <pointofview keyword="VIDEO"/>
 </povlist>
 <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
   <povlist>
     <pointofview keyword="SUMO WRESTLER0"/>
```

```
<pointofview keyword="SUMO WRESTLER1"/>
</povlist>
<povvalue>
  <priority value="5"/>
  <priority value="5"/>
</povvalue>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="1"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
```

```
</povvalue>
  <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
 </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
 </povvalue>
 <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
    <povlist>
     <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
   <povvalue>
     <priority value="3"/>
     <priority value="3"/>
   </povvalue>
 </seament>
 <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
   <povvalue>
     <priority value="1"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
   <povlist>
     <pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
   <povvalue>
     <priority value="3"/>
     <priority value="3"/>
```

```
</povvalue>
   </segment>
 </section>
 <section>
   <povvalue>
     <priority value="3"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="2"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
   <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
     <povvalue>
       <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
     <povvalue>
       <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="1"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
```

```
<pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <povlist>
       <pointofview keyword="SUMO WRESTLER0"/>
       <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
       <priority value="3"/>
    </povvalue>
  </seament>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
```

```
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
  </segment>
</section>
<section>
 <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
   <povvalue>
      <priority value="5"/>
      <priority value="5"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
```

```
</segment>
 </section>
 <section>
   <povlist>
     <pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
   <povvalue>
     <priority value="2"/>
     <priority value="2"/>
   </povvalue>
   <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
   </segment>
 </section>
 <section>
   <povvalue>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
```

```
</povlist>
 <povvalue>
   <priority value="4"/>
   <priority value="4"/>
</povvalue>
<segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
   <povlist>
     <pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
   <povvalue>
     <priority value="4"/>
     <priority value="1"/>
   </povvalue>
</segment>
<segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
   <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
   </segment>
</section>
<section>
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="2"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
    <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
 </segment>
 <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
```

```
<priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
   <povvalue>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
  <povlist>
     <pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
```

```
<priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
 </povvalue>
 <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
   <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
   </povlist>
   <povvalue>
     <priority value="4"/>
     <priority value="4"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
   <povvalue>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
<segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
   <povvalue>
```

```
<priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
</segment>
<segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
   <povvalue>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
```

```
<povvalue>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <povvalue>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
 </povvalue>
 <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
    <povvalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
  <povvalue>
     <priority value="5"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
```

```
</povvalue>
     </segment>
  </section>
  <section>
    <povvalue>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
    </segment>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
    </segment>
  </section>
</section>
<section caption="SUMO WRESTLER2">
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
 </povvalue>
 <section>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="5"/>
     <priority value="5"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
   <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
     <povvalue>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="5"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
   </segment>
</section>
<section>
  <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
    <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
    <povvalue>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
   </povvalue>
```

```
</segment>
</section>
<section>
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
 </povvalue>
 <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
```

```
<priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
   <priority value="4"/>
    <priority value="4"/>
 </povvalue>
 <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
   <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
     <pointofview keyword="SUMO WRESTLER3"/>
   </povlist>
   <povvalue>
     <priority value="4"/>
     <priority value="4"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
<segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
   <povlist>
     <pointofview keyowrd="SUMO WRESTLER2"/>
     <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
     <priority value="4"/>
     <priority value="4"/>
```

```
</povvalue>
 </segment>
 <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
 </povlist>
 <povvalue>
    <priority value="5"/>
    <priority value="5"/>
 </povvalue>
 <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
   </povlist>
   <povvalue>
     <priority value="5"/>
     <priority value="5"/>
   </povvalue>
 </segment>
 <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
   <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="5"/>
```

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
     </povvalue>
  </segment>
  <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
    <povlist>
       <pointofview keyowrd="SUMO WRESTLER2"/>
       <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
       <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
 </povvalue>
 <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
   <povvalue>
     <priority value="0"/>
```

```
<priority value="0"/>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <pri>ority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
          </povvalue>
       </segment>
     </section>
     <section>
       <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
      </segment>
    </section>
  </section>
</contents>
```

```
DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH
 USE OF XML
<?xml version="1.0"?>
<!ELEMENT contents
                       (povlist?, section+)>
<!ATTLIST
           contents
                       contents-id
                                   CDATA
                                               #REQUIRED
                       title
                                   CDATA
                                               #REQUIRED
                       runtime
                                   NMTOKEN
                                               #REQUIRED>
<!ELEMENT povlist
                       (pointofview+)>
<!ELEMENT pointofview
                       EMPTY>
<!ATTLIST
           pointofview
                       keyword
                                   CDATA
                                               #REQUIRED>
<!ELEMENT section
                       (povlist?,povvalue?,(section+|segment+))>
<!ATTLIST
           section
                       caption
                                   CDATA
                                               #IMPLIED>
<!ELEMENT povvalue
                       (priority+)>
<!ELEMENT priority
                       EMPTY>
<!ELEMENT segment
                       (povlist?,povvalue?,dominant-data)>
<!ATTLIST
           segment
                       start
                                   CDATA
                                               #REQUIRED
                       end
                                   CDATA
                                               #REQUIRED>
<!ELEMENT dominant-data EMPTY>
<!ATTLIST
           dominant-data frame-no
                                   NMTOKEN
                                               #IMPLIED
                       start
                                   CDATA
                                               #IMPLIED
                       end
                                   CDATA
                                               #IMPLIED
                       locator
                                   CDATA
                                               #IMPLIED>
```

```
ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE
SCRIPTION DATA PREPARED BY DTD
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</pre>
m13.dtd">
<contents
          contents-id="urn:upi:nhk:12345"
                                        title="GROUND
                                                        SUMO
TOURNAMENT" runtime="11:42">
 <povlist>
   <pointofview keyword="SUMO WRESTLER0"/>
   <pointofview keyword="SUMO WRESTLER1"/>
   <pointofview keyowrd="SUMO WRESTLER2"/>
   <pointofview keyword="SUMO WRESTLER3"/>
   <pointofview keyword="SUMO WRESTLER4"/>
   <pointofview keyword="SUMO WRESTLER5"/>
   <pointofview keyword="SUMO NAME"/>
   <pointofview keyword="WIN-LOSS RECORD"/>
```

```
<pointofview keyword="VIDEO"/>
    </povlist>
   <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
     <povlist>
        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
     </povlist>
     <povvalue>
       <priority value="5"/>
       <priority value="5"/>
     </povvalue>
     <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="1"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="1"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma01.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.m</pre>
 p3"/>
        </segment>
     </section>
     <section>
        <povlist>
          <pointofview keyword="SUMO WRESTLER0"/>
          <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
       <povvalue>
          <priority value="4"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03.m</pre>
p3"/>
       </segment>
     </section>
     <section>
       <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
       <povvalue>
         <priority value="3"/>
         <priority value="3"/>
      </povvalue>
      <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.m
p3"/>
```

```
</segment>
       <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
         <povvalue>
           <priority value="1"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma05.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m</pre>
p3"/>
       </segment>
    </section>
    <section>
      <povvalue>
         <priority value="3"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
```

```
</povvalue>
        <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
          <povvalue>
            <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="2"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.m
p3"/>
       </segment>
       <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
         <povvalue>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="1"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:00:31:20" end="smtpe=00:00:</pre>
35:05"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="3"/>
        <priority value="3"/>
      </povvalue>
      <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
```

<povlist>

```
<povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m</p>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:</pre>
50:03"/>
      </segment>
    </section>
    <section>
```

```
<pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
         <priority value="3"/>
         <priority value="3"/>
      </povvalue>
      <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
        <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gi</pre>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma09.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="5"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
        <povvalue>
           <priority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <pri><priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
```

```
<priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma10.m</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="2"/>
        <priority value="2"/>
      </povvalue>
      <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
        <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:</pre>
19:03"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="4"/>
        <pri><priority value="4"/>
        <pri>priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="3"/>
        <priority value="0"/>
      </povvalue>
     <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
        <povvalue>
          <priority value="4"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="3"/>
```

```
<priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
       <povvalue>
         <priority value="4"/>
         <priority value="4"/>
       </povvalue>
       <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
           <priority value="4"/>
           <priority value="1"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gi</pre>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma12.m</pre>
p3"/>
      </segment>
      <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
        <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
```

```
<dominant-data start="smpte=00:01:52:20" end="smpte=00:01:</pre>
 55:10"/>
       </segment>
       <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
          <povlist>
            <pointofview keyword="SUMO WRESTLER0"/>
            <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
            <priority value="4"/>
            <pri><priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:</pre>
38:11"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="2"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
```

```
<segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="2"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:</pre>
 48:02"/>
       </segment>
     </section>
     <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:</pre>
02:12"/>
      </segment>
    </section>
```

```
<section>
       <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
       <povvalue>
         <priority value="3"/>
         <priority value="3"/>
       </povvalue>
       <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:</pre>
10:20"/>
      </segment>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:</pre>
18:03"/>
      </segment>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
        <povvalue>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
          <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:</pre>
25:02"/>
       </segment>
       <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:</pre>
38:21"/>
       </segment>
       <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:</pre>
51:17"/>
      </segment>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
         <povvalue>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

```
<priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:</pre>
01:07"/>
       </segment>
     </section>
    <section>
      <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
       <povvalue>
         <priority value="5"/>
         <priority value="5"/>
       </povvalue>
       <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi</pre>
f"/>
        <dominant-data-locator="http://mserv.trl.mei.co.jp/DMA/dma14.m</p>
p3"/>
      </segment>
      <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
        <povvalue>
           <priority value="4"/>
           <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gi</pre>
f"/>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma15.m</p>
 p3"/>
        </segment>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
          <povvalue>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma16.m
p3"/>
       </segment>
       <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma17.m</p>
p3"/>
      </segment>
      <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
        <povlist>
          <pointofview keyword="SUMO WRESTLER0"/>
          <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
          <priority value="5"/>
```

```
<priority value="5"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma18.m</p>
 p3"/>
        </segment>
       <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
          <povvalue>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma19.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp20.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma20.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
         <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:</pre>
02:20"/>
      </segment>
```

```
</section>
      <section>
        <povvalue>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
       <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
          <povvalue>
            <priority value="5"/>
            <priority value="0"/>
            <priority value="0"/>
          </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
         <povvalue>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.gi
f"/>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
         <povvalue>
            <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.m
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
      </povvalue>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
        <povvalue>
          <priority value="5"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
```

```
</povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m</p>
 p3"/>
       </segment>
       <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
          <povvalue>
            <priority value="5"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp26.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.m</pre>
p3"/>
      </segment>
      <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
```

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp27.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.m"</pre>
p3"/>
       </segment>
     </section>
     <section>
       <povvalue>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <pri>ority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
         <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:</pre>
20:17"/>
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
         <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:</pre>
30:11"/>
      </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
```

```
</povvalue>
      <section>
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="5"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
         <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="5"/>
            <priority value="5"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma28.m
p3"/>
       </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="3"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
       <povvalue>
```

FIG. 244

```
<priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="3"/>
            <priority value="0"/>
          </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp29.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma29.m</p>
p3"/>
       </segment>
     </section>
     <section>
       <povvalue>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
         <povvalue>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:</pre>
18:23"/>
      </segment>
    </section>
```

FIG. 245

```
<section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:</pre>
43:01"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
      </povvalue>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
        <povlist>
          <pointofview keyowrd="SUMO WRESTLER2"/>
          <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
          <priority value="4"/>
          <priority value="4"/>
```

```
</povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma30.m
 p3"/>
        </segment>
     </section>
     <section>
       <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma31.m
p3"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
```

```
</povvalue>
        <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
          <povlist>
            <pointofview keyowrd="SUMO WRESTLER2"/>
            <pointofview keyword="SUMO WRESTLER3"/>
          </povlist>
          <povvalue>
            <priority value="4"/>
            <priority value="4"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.gi
 f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.m</pre>
 p3"/>
       </segment>
       <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
         <povvalue>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp33.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.m
p3"/>
       </segment>
      <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
         <povlist>
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma34.m
p3"/>
```

```
</segment>
        <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m
p3"/>
      </segment>
      <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
        <povlist>
          <pointofview keyowrd="SUMO WRESTLER2"/>
          <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
          <priority value="4"/>
          <priority value="4"/>
        </povvalue>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp37.gi</p>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m</pre>
 p3"/>
        </segment>
        <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
          <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m
p3"/>
       </segment>
       <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp39.gi
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma39.m
p3"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
```

```
<povvalue>
         <priority value="5"/>
         <priority value="5"/>
       </povvalue>
       <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
         <povlist>
            <pointofview keyowrd="SUMO WRESTLER2"/>
            <pointofview keyword="SUMO WRESTLER3"/>
         </povlist>
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m
p3"/>
       </segment>
       <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m</pre>
p3"/>
      </segment>
      <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
        <povlist>
          <pointofview keyowrd="SUMO WRESTLER2"/>
          <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
          <priority value="4"/>
          <priority value="4"/>
        </povvalue>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp42.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma42.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
         <povlist>
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp43.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma43.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
      </povvalue>
      <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
        </povvalue>
```

FIG. 252

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp44.gi</p>
f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma44.m"</pre>
 p3"/>
        </segment>
     </section>
     <section>
       <povvalue>
          <priority value="0"/>
         <priority value="0"/>
          <priority value="5"/>
          <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
         <povvalue>
            <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
         <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2</pre>
1"/>
      </segment>
    </section>
  </section>
</contents>
```

FIG. 253




FIG. 254




FIG. 255




FIG. 256




FIG. 257 (a)




FIG. 258 (a)




FIG. 259 (a)




FIG. 260




FIG. 261




FIG. 262




FIG. 263




FIG. 264




FIG. 265




FIG. 266




FIG. 267




FIG. 268




FIG. 269




FIG. 270

